

# Declarative language

---

## Before building system

before there can be learning, reasoning, planning, explanation ...

need to be able to express knowledge

## Want a precise declarative language

- declarative: believe  $P$  = hold  $P$  to be true  
cannot believe  $P$  without some sense of what it would mean for the world to satisfy  $P$
- precise: need to know exactly
  - what strings of symbols count as sentences
  - what it means for a sentence to be true  
(but without having to specify which ones are true)

## What does it mean to have a language?

- syntax
- semantics
- pragmatics

Here: language of first-order logic

again: not the only choice

# Alphabet

---

## Logical symbols:

- Punctuation:  $(, ), .$
- Connectives:  $\neg, \wedge, \vee, \forall, \exists, =$
- Variables:  $x, x_1, x_2, \dots, x', x'', \dots, y, \dots, z, \dots$   
Fixed meaning and use  
like keywords in a programming language

## Non-logical symbols

- Predicate symbols (like Dog)
- Function symbols (like bestFriendOf)  
Domain-dependent meaning and use  
like identifiers in a programming language

Have arity: number of arguments

arity 0 predicates: propositional symbols

arity 0 functions: constant symbols

Assume infinite supply of every arity

Note: not treating  $=$  as a predicate

# Grammar

---

## Expressions: terms and formulas (wffs)

### Terms

1. Every variable is a term.
2. If  $t_1, t_2, \dots, t_n$  are terms and  $f$  is a function of arity  $n$ , then  $f(t_1, t_2, \dots, t_n)$  is a term.

### Atomic wffs

1. If  $t_1, t_2, \dots, t_n$  are terms and  $P$  is a predicate of arity  $n$ , then  $P(t_1, t_2, \dots, t_n)$  is an atomic wff.
2. If  $t_1$  and  $t_2$  are terms, then  $(t_1=t_2)$  is an atomic wff.

### Wffs

1. Every atomic wff is a wff
2. If  $\alpha$  and  $\beta$  are wffs, and  $v$  is a variable, then  $\neg\alpha$ ,  $(\alpha \wedge \beta)$ ,  $(\alpha \vee \beta)$ ,  $\exists v.\alpha$ ,  $\forall v.\alpha$  are wffs.

### The propositional subset:

No terms

Atomic wffs: only predicates of 0-arity

No variables and no quantifiers

$$(p \wedge \neg(q \vee r))$$

# Notation

---

Occasionally add or omit (, ), .

Use [, ] and {, } also.

Abbreviations:

$(\alpha \supset \beta)$  for  $(\neg\alpha \vee \beta)$

$(\alpha \equiv \beta)$  for  $((\alpha \supset \beta) \wedge (\beta \supset \alpha))$

Non-logical symbols:

Predicates: Person, Happy, OlderThan

Functions: fatherOf, successor, johnSmith

Lexical scope for variables

$P(x) \wedge \exists x[P(x) \vee Q(x)]$

free

bound

occurrences of variables

Sentence: wff with no free variables (closed)

Substitution:  $\alpha[v/t]$  means  $\alpha$  with all free occurrences of  $v$  replaced by term  $t$  (also  $\alpha^v_t$ )..

# Semantics

---

## How to interpret sentences?

- what do sentences claim about the world?
- what does believing one amount to?

Without answers, cannot use sentences to represent knowledge

## Problem:

cannot fully specify interpretation of sentences because non-logical symbols reach outside the language

## So:

make clear dependence of interpretation on non-logical symbols

## Logical interpretation:

specification of how to understand predicate and function symbols

Can be complex!

DemocraticCountry,  
IsABetterJudgeOfCharacterThan,  
favouriteIceCreamFlavourOf,  
puddleOfWater27

# Simple case

---

There are objects

some satisfy predicate  $P$ ; some do not

Each interpretation settles extension of  $P$

borderline cases ruled in separate interpretations

Each interpretation assigns to function  $f$  a mapping from objects to objects

functions always well-defined and single-valued

Main assumption:

this is all you need to know about the non-logical symbols to understand which sentences of FOL are true or false

In other words, given a specification of

- what objects there are
- which of them satisfy  $P$
- what mapping is denoted by  $f$

it will be possible to say which sentences of FOL are true and which are not

# Interpretations

---

Two parts:  $I = \langle D, \Phi \rangle$

$D$  is the domain of discourse

\_\_ can be any set

not just formal / mathematical objects

e.g. people, tables, numbers, sentences, chunks of peanut butter, situations, the universe

$\Phi$  is an interpretation mapping

If  $P$  is a predicate symbol of arity  $n$ ,

$$\Phi(P) \subseteq [D \times D \times \dots \times D]$$

an  $n$ -ary relation over  $D$

Can view interpretation of predicates

in terms of characteristic function

$$\Phi(P) \in [D \times D \times \dots \times D \rightarrow \{0, 1\}]$$

If  $f$  is a function symbol of arity  $n$ ,

$$\Phi(f) \in [D \times D \times \dots \times D \rightarrow D]$$

an  $n$ -ary function over  $D$

For constants,  $\Phi(c) \in D$

# Denotation

---

In terms of interpretation  $I$ , terms will denote elements of  $D$ .

will write element as  $I\|t\|$

For terms with variables, denotation depends on the values of variables

will write as  $I,\mu\|t\|$

where  $\mu \in [Variables \rightarrow D]$ ,  
called a variable assignment

Rules of interpretation:

1.  $I,\mu\|v\| = \mu(v)$ .
2.  $I,\mu\|f(t_1, t_2, \dots, t_n)\| = H(d_1, d_2, \dots, d_n)$   
where  $H = \Phi(f)$   
and  $d_i = I,\mu\|t_i\|$ , recursively

# Satisfaction

---

In terms of  $I$ , wffs will be true for some values of the free variables and false for others

will write as  $I, \mu \models \alpha$  “ $\alpha$  is satisfied by  $I$  and  $\mu$ ”

where  $\mu \in [\text{Variables} \rightarrow D]$ , as before

or  $I \models \alpha$ , when  $\alpha$  is a sentence

or  $I \models S$ , when  $S$  is a set of sentences

(all sentences in  $S$  are true in  $I$ ).

## Rules of interpretation:

1.  $I, \mu \models P(t_1, t_2, \dots, t_n)$  iff  $\langle d_1, d_2, \dots, d_n \rangle \in R$

where  $R = \Phi(P)$

and  $d_i = I, \mu \models t_i$ , as on previous slide

2.  $I, \mu \models (t_1 = t_2)$  iff  $I, \mu \models t_1$  is the same as  $I, \mu \models t_2$

3.  $I, \mu \models \neg \alpha$  iff  $I, \mu \not\models \alpha$

4.  $I, \mu \models (\alpha \wedge \beta)$  iff  $I, \mu \models \alpha$  and  $I, \mu \models \beta$

5.  $I, \mu \models (\alpha \vee \beta)$  iff  $I, \mu \models \alpha$  or  $I, \mu \models \beta$

6.  $I, \mu \models \exists v. \alpha$  iff for some  $d \in D$ ,  $I, \mu\{d;v\} \models \alpha$

7.  $I, \mu \models \forall v. \alpha$  iff for all  $d \in D$ ,  $I, \mu\{d;v\} \models \alpha$

where  $\mu\{d;v\}$  is just like  $\mu$ , except on  $v$ , where  $\mu(v)=d$ .

## For propositional subset:

$I \models p$  iff  $\Phi(p) = 1$  and the rest as above

# Logical consequence

---

Semantic rules of interpretation tell us how to understand all wffs in terms of specification for non-logical symbols.

But some connections among sentences are independent of non-logical symbols involved.

e.g. If  $\alpha$  is true under  $I$ , then so is  $\neg(\beta \wedge \neg\alpha)$ , no matter what  $I$  is, why  $\alpha$  is true, what  $\beta$  is, ...

a function of logical symbols only

$S$  entails  $\alpha$  or  $\alpha$  is a logical consequence of  $S$ :

$S \models \alpha$  iff for every  $I$ , if  $I \models S$  then  $I \models \alpha$ .

In other words: for no  $I$ ,  $I \models S \cup \{\neg\alpha\}$ .

Say that  $S \cup \{\neg\alpha\}$  is unsatisfiable

Special case:  $S$  is empty

$\models \alpha$  iff for every  $I$ ,  $I \models \alpha$ . Say  $\alpha$  is valid.

**Note:**  $\{\alpha_1, \alpha_2, \dots, \alpha_n\} \models \alpha$  iff  $\models (\alpha_1 \wedge \alpha_2 \wedge \dots \wedge \alpha_n) \supset \alpha$   
finite entailment reduces to validity

# Why do we care?

---

We do not have access to user-intended interpretation of non-logical symbols

But, with entailment, we know that if  $S$  is true in the intended interpretation, then so is  $\alpha$ .

If the user's view has the world satisfying  $S$ , then it must also satisfy  $\alpha$ .

There may be other sentences true also; but  $\alpha$  is logically guaranteed.

So what about:

$\text{Dog}(\text{fido}) \not\Rightarrow \text{Mammal}(\text{fido}) \text{ ??}$

Not entailment!

There are logical interpretations where

$$\Phi(\text{Dog}) \not\subseteq \Phi(\text{Mammal})$$

**Key idea of KR:**

include such connections explicitly in  $S$

$$\forall x[\text{Dog}(x) \supset \text{Mammal}(x)]$$

Get:  $S \cup \{\text{Dog}(\text{fido})\} \models \text{Mammal}(\text{fido})$

The rest is just the details...

# Knowledge Bases

---

KB is set of sentences

explicit statement of sentences believed (including assumed connections among non-logical symbols)


$KB \models \alpha$        $\alpha$  is a further consequence of what is believed

- explicit knowledge: KB
- implicit knowledge:  $\{ \alpha \mid KB \models \alpha \}$

Often non trivial: explicit  $\implies$  implicit

Example:

Three blocks stacked.  
Top one is green.  
Bottom one is not green.



Is there a green block directly on top of a non-green block?

# A formalization

---

$S = \{ \text{On}(a,b), \text{On}(b,c), \text{Green}(a), \neg\text{Green}(c) \}$   
all that is required

$\alpha = \exists x \exists y [ \text{Green}(x) \wedge \neg\text{Green}(y) \wedge \text{On}(x,y) ]$

Claim:  $S \models \alpha$

Proof:

Let  $I$  be any interpretation such that  $I \models S$ .

Case 1:  $I \models \text{Green}(b)$ .

$\therefore I \models \text{Green}(b) \wedge \neg\text{Green}(c) \wedge \text{On}(b,c)$ .

$\therefore I \models \alpha$

Case 2:  $I \not\models \text{Green}(b)$ .

$\therefore I \models \neg\text{Green}(b)$

$\therefore I \models \text{Green}(a) \wedge \neg\text{Green}(b) \wedge \text{On}(a,b)$ .

$\therefore I \models \alpha$

Either way, for any  $I$ , if  $I \models S$  then  $I \models \alpha$ .

So  $S \models \alpha$ .      QED

# Knowledge-based system

---

Start with (large) KB representing what is explicitly known

e.g. what the system has been told

Want to influence behaviour based on what is implicit in the KB (or as close as possible)

Requires reasoning

deductive inference:

process of calculating entailments of KB

i.e given KB and any  $\alpha$ , determine if  $KB \models \alpha$

Process is sound if whenever it produces  $\alpha$ , then  $KB \models \alpha$

does not allow for plausible assumptions that may be true in intended interpretation

Process is complete if whenever  $KB \models \alpha$ , it produces  $\alpha$

does not allow for process to miss some  $\alpha$  or be unable to determine the status of  $\alpha$