

QUIZ 3

COMP9021 PRINCIPLES OF PROGRAMMING

SAMPLE OUTPUTS

```
$ python3 quiz_3.py
Enter a word: a_word
The subwords of "a_word" of height 1 are:
[]

$ python3 quiz_3.py
Enter a word: funct(arg)
The subwords of "funct(arg)" of height 1 are:
['funct(arg)']

$ python3 quiz_3.py
Enter a word: funct(arg_1,arg_2,      arg_3)
The subwords of "funct(arg_1,arg_2,      arg_3)" of height 1 are:
['funct(arg_1, arg_2, arg_3)']

$ python3 quiz_3.py
Enter a word: f (g(a,  b),g(b,c),  g(c,a))
The subwords of "f (g(a,  b),g(b,c),  g  (  c ,  a ) )" of height 1 are:
['g(a, b)', 'g(b, c)', 'g(c, a)']

$ python3 quiz_3.py
Enter a word: f(g_1(a,g_2 (  a, b, g_3(c)), g_2(g_3(a, b,  g_4( a), e ))    )
The subwords of "f(g_1(a,g_2 (  a, b, g_3(c)), g_2(g_3(a, b,  g_4( a), e ))    )" of height 1 are:
['g_3(c)', 'g_4(a)']

$ python3 quiz_3.py
Enter a word: f_0(a,f_1(b,f_2(f_3(f_4(a)),f_3(h)),f_2(f_3(a))),f_1(f_2(f_3(a))))
The subwords of "f_0(a,f_1(b,f_2(f_3(f_4(a)),f_3(h)),f_2(f_3(a))),f_1(f_2(f_3(a))))" of height 1 are:
['f_4(a)', 'f_3(h)', 'f_3(a)', 'f_3(a)']

$ python3 quiz_3.py
Enter a word: f1(f2(f3(a,b), c), f2(a, f3(a,b)),  f2(bcb),  f2(0,f3(eeee)))
The subwords of "f1(f2(f3(a,b), c), f2(a, f3(a,b)),  f2(bcb),  f2(0,f3(eeee)))" of height 1 are:
['f3(a, b)', 'f3(a, b)', 'f2(bcb)', 'f3(eeee)']
```