

Exercise sheet 7

COMP6741: Parameterized and Exact Computation

Serge Gaspers

Semester 2, 2017

Exercise 1. A *Boolean formula in Conjunctive Normal Form (CNF)* is a conjunction (AND) of disjunctions (OR) of literals (a Boolean variable or its negation). A *HORN* formula is a CNF formula where each clause contains at most one positive literal. For a CNF formula F and an assignment $\tau : S \rightarrow \{0, 1\}$ to a subset S of its variables, the formula $F[\tau]$ is obtained from F by removing each clause that contains a literal that evaluates to 1 under S , and removing all literals that evaluate to 0 from the remaining clauses.

HORN-BACKDOOR DETECTION

Input: A CNF formula F and an integer k .
Parameter: k
Question: Is there a subset S of the variables of F with $|S| \leq k$ such that for each assignment $\tau : S \rightarrow \{0, 1\}$, the formula $F[\tau]$ is a HORN formula?

Example: $(\neg a \vee b \vee c) \wedge (b \vee \neg c \vee \neg d) \wedge (a \vee b \vee \neg e) \wedge (\neg b \vee c \vee \neg e)$ with $k = 1$ is a YES-instance, certified by $S = \{b\}$.

- Show that HORN-BACKDOOR DETECTION is FPT using the fact that VERTEX COVER is FPT.

Exercise 2. Show that WEIGHTED CIRCUIT SATISFIABILITY $\in XP$.

Exercise 3. Recall that a k -coloring of a graph $G = (V, E)$ is a function $f : V \rightarrow \{1, 2, \dots, k\}$ assigning colors to V such that no two adjacent vertices receive the same color.

MULTICOLOR CLIQUE


Input: A graph $G = (V, E)$, an integer k , and a k -coloring of G
Parameter: k
Question: Does G have a clique of size k ?

- Show that MULTICOLOR CLIQUE is W[1]-hard.

Exercise 4. A *set system* \mathcal{S} is a pair (V, H) , where V is a finite set of elements and H is a set of subsets of V . A *set cover* of a set system $\mathcal{S} = (V, H)$ is a subset X of H such that each element of V is contained in at least one of the sets in X , i.e., $\bigcup_{Y \in X} Y = V$.

SET COVER

Input: A set system $\mathcal{S} = (V, H)$ and an integer k
Parameter: k
Question: Does \mathcal{S} have a set cover of cardinality at most k ?



- Show that SET COVER is W[2]-hard.


Exercise 5. A *hitting set* of a set system $\mathcal{S} = (V, H)$ is a subset X of V such that X contains at least one element of each set in H , i.e., $X \cap Y \neq \emptyset$ for each $Y \in H$.

HITTING SET

Input: A set system $\mathcal{S} = (V, H)$ and an integer k

Parameter: k

Question: Does \mathcal{S} have a hitting set of size at most k ?



- Show that HITTING SET is W[2]-hard.