

Arrays

Suppose I need to compute statistics on class marks?

```
int mark_student0, mark_student1, mark_student2, ...;  
mark_student0 = 73;  
mark_student1 = 42;  
mark_student2 = 99;  
...
```

- cumbersome, need hundreds of individual variables
- can't write while loop which executes for each student
- becomes unfeasible if dealing with a lot of values

Solution use an array

```
int mark[930];  
mark[0] = 73;  
mark[1] = 42;  
mark[2] = 99;  
...
```

Arrays

Suppose I need to compute statistics on class marks?

```
int mark_student0, mark_student1, mark_student2, ...;  
mark_student0 = 73;  
mark_student1 = 42;  
mark_student2 = 99;  
...
```

- cumbersome, need hundreds of individual variables
- can't write while loop which executes for each student

Solution use an array

```
int mark[930];  
mark[0] = 73;  
mark[1] = 42;  
mark[2] = 99;  
...
```

C Arrays

- C array is a collection of variables called **array elements**.
- All array elements must be the same type.
- Array elements don't have a name
- Array elements accessed by a number called the **array index**.
- Valid array indices for array with n elements are $0 \dots n - 1$
- Array can have millions/billions of elements.
- Array elements must be initialized.
- Can't assign scanf/printf whole arrays.
- Can assign scanf/printf array elements.

Arrays

```
// Declare an array with 10 elements  
// and initialises all elements to 0.  
int myArray[10] = {0};
```

| | myArray |
|---|---------|
| 0 | 0 |
| 1 | 0 |
| 2 | 0 |
| 3 | 0 |
| 4 | 0 |
| 5 | 0 |
| 6 | 0 |
| 7 | 0 |
| 8 | 0 |
| 9 | 0 |

Arrays

```
// Declare an array with 10 elements  
// and initialises all elements to 0.  
int myArray[10] = {0};  
  
// Put some values into the array.  
myArray[0] = 3;
```

| | myArray |
|---|---------|
| 0 | 3 |
| 1 | 0 |
| 2 | 0 |
| 3 | 0 |
| 4 | 0 |
| 5 | 0 |
| 6 | 0 |
| 7 | 0 |
| 8 | 0 |
| 9 | 0 |

Arrays

```
// Declare an array with 10 elements  
// and initialises all elements to 0.  
int myArray[10] = {0};  
  
// Put some values into the array.  
myArray[0] = 3;  
myArray[5] = 17;
```

| | myArray |
|---|---------|
| 0 | 3 |
| 1 | 0 |
| 2 | 0 |
| 3 | 0 |
| 4 | 0 |
| 5 | 17 |
| 6 | 0 |
| 7 | 0 |
| 8 | 0 |
| 9 | 0 |

Arrays

```
// Declare an array with 10 elements  
// and initialises all elements to 0.  
int myArray[10] = {0};  
  
// Put some values into the array.  
myArray[0] = 3;  
myArray[5] = 17;  
myArray[10] = 42; // <-- Error
```

| | myArray |
|---|---------|
| 0 | 3 |
| 1 | 0 |
| 2 | 0 |
| 3 | 0 |
| 4 | 0 |
| 5 | 17 |
| 6 | 0 |
| 7 | 0 |
| 8 | 0 |
| 9 | 0 |

Reading Arrays

Scarf can't read an entire array. This will read only 1 number:

```
#define ARRAY_SIZE 42  
...  
int array[ARRAY_SIZE];  
scanf("%d", &array);
```

Instead you must read the elements one by one:

```
i = 0;  
while (i < SIZE) {  
    scanf("%d", &array[i]);  
    i = i + 1;  
}
```

Printing Arrays

printf can't print an entire array. This won't compile:

```
#define ARRAY_SIZE 42
...
int array[ARRAY_SIZE];
printf("%d", array);
```

Instead must print the elements one by one:

```
i = 0;
while (i < ARRAY_SIZE) {
    printf("%d\n", array[i]);
    i = i + 1;
}
```

Copying Arrays

Suppose we have the following:

```
int array1[5] = {1, 2, 3, 4, 5};  
int array2[5];
```

Array assignment not allowed in C. This won't compile:

```
array2 = array1;
```

Instead must copy the elements one by one:

```
i = 0;  
while (i < 5) {  
    array2[i] = array1[i];  
    i = i + 1;  
}
```

Copying Arrays

Suppose we have the following:

```
int array1[5] = {1, 2, 3, 4, 5};  
int array2[5];
```

Array assignment not allowed in C. This won't compile:

```
array2 = array1;
```

Instead must copy the elements one by one:

```
i = 0;  
while (i < 5) {  
    array2[i] = array1[i];  
    i = i + 1;  
}
```

Arrays of Arrays

- C supports arrays of arrays.
- Useful for multi-dimensional data.

```
int matrix[3][3] = { {1, 2, 3},  
                     {4, 5, 6},  
                     {7, 8, 9} };  
  
printf("%d\n", matrix[1][1]);
```

Read a Two-dimensional Array

```
#define SIZE 42
...
int matrix[SIZE][SIZE];
int i, j;

i = 0
while (i < SIZE) {
    j = 0;
    while (j < SIZE) {
        scanf("%d", &matrix[i][j]);
        j = j + 1;
    }
    i = i + 1;
}
```

Print a Two-dimensional Array

...

```
while (i < SIZE) {  
    j = 0;  
    while (j < SIZE) {  
        print("%d", &matrix[i][j]);  
        j = j + 1;  
    }  
    printf("\n");  
    i = i + 1;  
}
```