

# COMP9444

## Neural Networks and Deep Learning


### 13. Autoencoders

Textbook, Chapter 14

#### Outline

- Autoencoder Networks (14.1)
- Regularized Autoencoders (14.2)
- Stochastic Encoders and Decoders (14.4)
- Generative Models
- Variational Autoencoders (20.10.3)


#### Recall: Encoder Networks



- identity mapping through a bottleneck
- also called N–M–N task
- used to investigate hidden unit representations


Inputs	Outputs
10000	10000
01000	01000
00100	00100
00010	00010
00001	00001

#### Autoencoder Networks



- output is trained to reproduce the input as closely as possible
- activations normally pass through a bottleneck, so the network is forced to compress the data in some way
- like the RBM, Autoencoders can be used to automatically extract abstract features from the input

## Autoencoder Networks



If the encoder computes  $z = f(x)$  and the decoder computes  $g(f(x))$  then we aim to minimize some distance function between  $x$  and  $g(f(x))$

$$E = L(x, g(f(x)))$$

## Autoencoder as Pretraining

- after an autoencoder is trained, the decoder part can be removed and replaced with, for example, a classification layer
- this new network can then be trained by backpropagation
- the features learned by the autoencoder then serve as initial weights for the supervised learning task

## Greedy Layerwise Pretraining

- Autoencoders can be used as an alternative to Restricted Boltzmann Machines, for greedy layerwise pretraining.
- An autoencoder with one hidden layer is trained to reconstruct the inputs. The first layer (encoder) of this network becomes the first layer of the deep network.
- Each subsequent layer is then trained to reconstruct the previous layer.
- A final classification layer is then added to the resulting deep network, and the whole thing is trained by backpropagation.

## Avoiding Trivial Identity

- if there are more hidden nodes than inputs (which often happens in image processing) there is a risk the network may learn a trivial identity mapping from input to output
- we generally avoid this by introducing some form of regularization

## Regularized Autoencoders (14.2)

---

- sparse autoencoders
- autoencoders with dropout at hidden layer(s)
- contractive autoencoders
- denoising autoencoders

### Sparse Autoencoder (14.2.1)

---

- one way to regularize an autoencoder is to add a penalty term to the cost function, based on the hidden unit activations
- this is analogous to the weight decay term we previously used for supervised learning
- one popular choice is to penalize the sum of the absolute values of the activations in the hidden layer

$$E = L(x, g(f(x))) + \lambda \sum_i |h_i|$$

- this is sometimes known as  $L_1$ -regularization (because it involves the absolute value rather than the square); it can encourage some of the hidden units to go to zero, thus producing a sparse representation

## Contractive Autoencoder (14.2.3)

---

- another popular penalty term is the  $L_2$ -norm of the derivatives of the hidden units with respect to the inputs

$$E = L(x, g(f(x))) + \lambda \sum_i \|\nabla_x h_i\|^2$$

- this forces the model to learn hidden features that do not change much when the training inputs  $x$  are slightly altered

## Denoising Autoencoder (14.2.2)

---

Another regularization method, similar to contractive autoencoder, is to add noise to the inputs, but train the network to recover the original input

repeat:

sample a training item  $x^{(i)}$   
generate a corrupted version  $\tilde{x}$  of  $x^{(i)}$   
train to reduce  $E = L(x^{(i)}, g(f(\tilde{x})))$

end

## Cost Functions and Probability

---

- We saw previously how the loss (cost) function at the output of a feedforward neural network (with parameters  $\theta$ ) can be seen as defining a probability distribution  $p_\theta(x)$  over the outputs. We then train to maximize the log of the probability of the target values.
  - ▶ squared error assumes an underlying Gaussian distribution, whose mean is the output of the network
  - ▶ cross entropy assumes a Bernoulli distribution, with probability equal to the output of the network
  - ▶ softmax assumes a Boltzmann distribution

## Generative Models

---

- Sometimes, as well as reproducing the training items  $\{x^{(i)}\}$ , we also want to be able to use the decoder to generate new items which are of a similar “style” to the training items.
- In other words, we want to be able to choose latent variables  $z$  from a standard Normal distribution  $p(z)$ , feed these values of  $z$  to the decoder, and have it produce a new item  $x$  which is somehow similar to the training items.
- Generative models can be:
  - ▶ explicit (Variational Autoencoders)
  - ▶ implicit (Generative Adversarial Networks)

## Stochastic Encoders and Decoders (14.4)

---

- For autoencoders, the decoder can be seen as defining a conditional probability distribution  $p_\theta(x|z)$  of output  $x$  for a certain value  $z$  of the hidden or “latent” variables.
- In some cases, the encoder can also be seen as defining a conditional probability distribution  $q_\phi(z|x)$  of latent variables  $z$  based on an input  $x$ .
- We have seen an example of this with the Restricted Boltzmann Machine, where  $q_\phi(z|x)$  and  $p_\theta(x|z)$  were Bernoulli distributions.

## Variational Autoencoder (20.10.3)


---

Instead of producing a single  $z$  for each  $x^{(i)}$ , the encoder (with parameters  $\phi$ ) can be made to produce a mean  $\mu_{z|x^{(i)}}$  and standard deviation  $\Sigma_{z|x^{(i)}}$ . This defines a conditional (Normal) probability distribution  $q_\phi(z|x^{(i)})$ . We then train the system to maximize

$$\mathbf{E}_{z \sim q_\phi(z|x^{(i)})} [\log p_\theta(x^{(i)}|z)] - D_{\text{KL}}(q_\phi(z|x^{(i)}) \| p(z))$$

- the first term enforces that any sample  $z$  drawn from the conditional distribution  $q_\phi(z|x^{(i)})$  should, when fed to the decoder, produce something approximating  $x^{(i)}$
- the second term encourages  $q_\phi(z|x^{(i)})$  to approximate  $p(z)$
- in practice, the distributions  $q_\phi(z|x^{(i)})$  for various  $x^{(i)}$  will occupy complementary regions within the overall distribution  $p(z)$


## Variational Autoencoder Digits



COMP9444

©Alan Blair, 2017-18

## Variational Autoencoder Digits



COMP9444

©Alan Blair, 2017-18

## Variational Autoencoder Faces



COMP9444

©Alan Blair, 2017-18

## Variational Autoencoder

- Variational Autoencoder produces reasonable results
- tends to produce blurry images
- often end up using only a small number of the dimensions available to  $z$

### References:

- <http://kvfrans.com/variational-autoencoders-explained/>
- [http://cs231n.stanford.edu/slides/2017/cs231n\\_2017\\_lecture13.pdf](http://cs231n.stanford.edu/slides/2017/cs231n_2017_lecture13.pdf)
- <https://arxiv.org/pdf/1606.05908.pdf>

COMP9444

©Alan Blair, 2017-18