
COMP1511 - Programming Fundamentals

— Term 1, 2020 - Lecture 10 —

What did we cover yesterday?

Debugging

- How to think about different bugs (code errors)
- Some tricks and techniques to remove bugs from our code

Characters

- A new variable type!
- Letters and other symbols

What are we covering today?

Strings

- Words that contain multiple characters

Structs

- Containers that can hold different variable types

Strings

When we have multiple characters together, we call it a string


- Strings in C are arrays of `char` variables containing ASCII code
- Strings are basically words, while chars are letters
- Strings have a helping element at the end, a `'\0'`
- It's often called the 'null terminator' and it is an invisible character
- This helps us know if we're at the end of the string

Strings in Code

Strings are arrays of type `char`, but they have a convenient shorthand

```
// a string is an array of characters
char word1[] = {'h', 'e', 'l', 'l', 'o', '\0'};
// but we also have a convenient shorthand
// that feels more like words
char word2[] = "hello";
```

Both of these strings will be created with 6 elements. The letters `h`, `e`, `l`, `l`, `o` and the null terminator `\0`



Reading and writing strings

`fgets(array[], length, stream)` is a useful function for reading strings

- It will take up to **length** number of characters
- They will be written into the **array**
- The characters will be taken from a stream
- Our most commonly used stream is called `stdin`, “standard input”
- `stdin` is our user typing input into the terminal

Reading and writing strings in code

```
// reading and writing lines of text
char line[MAX_LINE_LENGTH];
while (fgets(line, MAX_LINE_LENGTH, stdin) != NULL) {
    fputs(line, stdout);
}
```

- `fputs(array, stream)` works very similarly to `printf`
- It will output the string stored in the array to a stream
- We can use `stdout` which is our stream to write to the terminal

Helpful Functions in the String Library

`<string.h>` has access to some very useful functions

Note that `char* s` is equivalent to `char s[]`

- `int strlen(char* s)` - return the length of the string (not including `\0`)
- `strcpy` and `strncpy` - copy the contents of one string into another
- `strcat` and `strncat` - attach one string to the end of another
- `strcmp` and variations - compare two strings
- `strchr` and `strrchr` - find the first or last occurrence of a character
- And more ...

Whoaaaah We're Halfway There ...

We're going to use a bit of everything we've seen so far in COMP1511

This program is a word game

- It will read in a string from the user
- It will then read in another string from the user and tell us how many of the letters from the second appear in the first
- This will use if, while, arrays (of characters), functions and pointers

Where will we start?

A simple version to begin with

- Let's read in a line of characters
- Then read in a single character and see whether it's in the line or not

Read in a line of characters (a string)

We can use a nice library function here

- `fgets()` will grab an entire line from standard input
- We can set up a maximum line size as well

```
#define MAX_LINE_LENGTH 100

int main(void) {
    char line[MAX_LINE_LENGTH];
    fgets(line, MAX_LINE_LENGTH, stdin);
}
```

Read in a single character

Starting simple, we can take a character as input

- `getchar()` will read a single character from standard input
- Remember that we'll be using `int` as our type for individual characters
- Here we can loop and continually get characters until input ends

```
int inputChar;  
inputChar = getchar();  
while (inputChar != EOF) {  
    inputChar = getchar();  
}
```

Break Time

Social Distancing and Isolation

- We're not going to be seeing each other much in person
- We can help slow the spread of the coronavirus by staying home
- If you need any help with COMP1511 especially now that it's remote, please let us know!
- Remember that Isaac Newton (in his early 20s) spent a year isolated from the Black Plague
- In that time he discovered important theories related to the fundamental nature of light and gravity. I expect similar results from you :P

A Function to find a character in a string

Loop through the string, testing for a character

- We've done this kind of loop before with other types!

```
int testChar(char c, char *line) {
    int charCount = 0;
    int i = 0;
    while (i < MAX_LINE_LENGTH && line[i] != '\0') {
        if (line[i] == c) {
            charCount++;
        }
        i++;
    }
    return charCount;
}
```

Simple functionality ... how well is it working?

What tests should we run at this point?

- Look for syntax errors using our compiler (dcc)
- Look for logical errors by testing with different inputs

We might need to add in some extra outputs

- If we're getting strange behaviour, we can confirm our guesses
- We might learn more about what's going on in our program

What are these extra characters?

Maybe we need to check what those characters are

- Some print statements can help here

```
int inputChar;
inputChar = getchar();
while (inputChar != EOF) {
    printf("Main loop running, readChar is %c.\n", inputChar);
    printf("%d\n", testChar(inputChar, line));
    inputChar = getchar();
}
```


Dealing with little issues

We're reading newlines (`\n`) as characters!

- Let's remove the newlines from both our line and our inputs
- We'll use a library function, `strlen()` to find the end of a string
- To use `strlen()`, we will need the `string.h` library, which we will include
- We'll then replace the `\n` with `\0` which will end the string early

Removing newlines

Removing a `\n` at the end of a string:

```
int main(void) {  
    char line[MAX_LINE_LENGTH];  
    fgets(line, MAX_LINE_LENGTH, stdin);  
    int length = strlen(input);  
    input[length - 1] = '\0';  
}
```

Ignoring the `\n` while reading input:

```
inputChar = getchar();  
if (inputChar == '\n') {  
    inputChar = getchar();  
}
```

Expanding on the functionality

Our first attempt just checked for single letters

- Now we expand to words!
- Read in another word
- Check every letter in the word for whether it appears in the phrase
- Then report back how many letters matched

Some good reasons to use functions!

- Reading in words is now duplicated
- We can reuse our testChar() function to see if letters match

A function to read a line

This function also removes the `\n` that `fgets` will give us

```
void readString(char *input) {  
    fgets(input, MAX_LINE_LENGTH, stdin);  
    int length = strlen(input);  
    input[length - 1] = '\0';  
}
```

A function to count letters

Counts how many letters from one string appear in the other

This function also uses another function!

```
int numLetterMatches(char *word, char *line) {
    int i = 0;
    int matchCount = 0;
    while (i < MAX_LINE_LENGTH && word[i] != '\0') {
        if (testChar(word[i], line)) {
            matchCount++;
        }
        i++;
    }
    return matchCount;
}
```

A simple word game

What coding concepts have we used there that might come in handy?

- Characters and Strings (note that we'll never need to memorise the ASCII table to work with characters)
- Using libraries and provided functions
- Loops on strings (using the Null Terminator `\0`)
- Writing multiple functions and using functions within functions
- A lot of our basic C concepts like `if`, `while` and array indexing

Structs

A new way of collecting variables together

- Structs (short for structures) are a way to create custom variables
- Structs are variables that are made up of other variables
- They are not limited to a single type like arrays
- They are also able to name their variables
- Structs are like the bento box of variable collections



Before we can use a struct ...

Structs are like creating our own variable type

- We need to declare this type before any of the functions that use it
- We declare what a struct is called and what the fields (variables) are

```
struct performer {  
    char name[MAX_LENGTH];  
    char description[MAX_LENGTH];  
    int rank;  
};
```


Creating a struct variable and accessing its fields

Declaring and populating a struct variable

- Declaring a struct: `struct structname variablename;`
- Use the `.` to access any of the fields inside the struct by name

```
int main(void) {  
    struct performer rm;  
    strcpy(rm.name, "Rap Monster");  
    strcpy(rm.description, "Leader");  
    rm.rank = 1;  
  
    printf("%s's description is: %s.\n", rm.name, rm.description);  
}
```

Accessing Structs through pointers

Pointers and structs go together so often that they have a shorthand!

```
struct performer *rapper = &rm;

// knowledge of pointers suggests using this
*rapper.rank = 100;

// but there's another symbol that automatically
// dereferences the pointer and accesses a field
// inside the struct
rapper->rank = 100;
```

Structs as Variables

Structs can be treated as variables

- Yes, this means arrays of structs are possible
- It also means structs can be some of the variables inside other structs
- In general, it means that once you've defined what a struct is, you use it like any other variable

What did we learn today?

Characters and Strings

- Expanding our variables to letters and words
- A code example to show some of the use of strings
- Using libraries to make strings easier

Structs

- Collections of variables of different types